

Reference: XZ2SX08
EAN13: 8057730896207

UV resistant electric cable with Green Pixel Bronte SX08 cotton lining for outdoor use - Compatible with Modulair Outdoor IP65



Description

Looking for customisable, weather-resistant illumination with a great visual impact for your outdoor spaces? Then this outdoor EIVA cable with green pixel Bronte lining is the perfect solution for you! Not only is this cable compatible with the IP65 Modulair system, which guarantees protection against water and rain, it's also UV resistant.

Which material was used for these cables?

Our outdoor UV resistant cables are equipped with a flexible conductor in red electrolytic copper with a double elastomeric rubber coating which allows the product to withstand temperatures ranging from -25°C to +60°C.

How can I efficiently use this green cable in my outdoor spaces?

When used as lining for UV resistant cables, the green pixel bronte cotton will blend seamlessly with your greenery. A leafy, thriving colour for a versatile cable which can be used to add a fun, modern look to any outdoor space, from pools to gardens.

Are these cables compatible with the Modulair IP65 Outdoor illumination system?

The entire collection of outdoor UV resistant cables was designed with the Modulair Outdoor illumination system in mind. Pair your cables with your favourite lamp holder, rose (or plug) and with a lampshade by browsing our website, and create your own suspension lamps by customising them down to the last detail.

What makes these cables so reliable?

The Modulair outdoor UV resistant cables are 100% Made in Italy and IMQ-HAR certified. The design and material choice aimed to achieve three targets: safety, flexibility and weather-resistance.

What does UV resistant cable actually mean?

It means the fabric used to line these cables was designed to not only endure but fully resist UV rays, which make up around 10% of sunlight. The colour of UV resistant cables remains vibrant and doesn't tend to fade over time, even when they are consistently exposed to sunlight. This also means that prolonged exposure to sunlight will not result in the deterioration of the product's materials and performance.

Data Sheet

2x1,00 neoprene cable H05RN-F with fabric lining.

Diameter 7,6mm 2x1,00 Green Pixel Bronte SX08 cotton.

Normative reference EN 50525-2-21.

European Low Voltage Directive No. 2014/35/UE.

IMQ-HAR Certified No. CA01.00683.

Flexible conductor class 5 in red electrolytic copper, compliant with IER 60228 regulation.

Insulation EI 4 elastomeric Rubber compliant with 50363-1 EN regulation.

Insulation colour compliant with HD 402 and EN 50525-1 regulations.

External sheath EM 2 elastomeric Rubber compliant with EN regulation 50363-2-1.

Sheath colour Black.

Product compliant with all Italian and European safety regulations..



