

Reference: XZ2SM04
EAN13: 8057730896238

UV resistant electric cable with Black SM04 fabric lining for outdoor use -
Compatible with Modulair Outdoor IP65



Description

If you're looking for a customisable and practical illumination solution for your terrace or garden, the outdoor UV resistant cable with EIVA white fabric lining is the perfect solution for you! Not only these cables are compatible with the IP65 Modulair system, which guarantees protection against water, humidity and rain, they are also UV resistant.

Which material was used for these cables?

These EIVA outdoor UV resistant cables are equipped with a flexible conductor in red electrolytic copper with a double elastomeric rubber coating which allows the product to withstand temperatures ranging from -25°C to +60°C.

How can the SM04 fabric improve the aesthetic of your outdoor illumination?

When used as lining for UV resistant cables, the SM04 black fabric will both bedeck and help you customise your outdoor spaces. A refined, charming colour for timeless and weather resistant illumination.

Are these cables compatible with the Modulair IP65 Outdoor illumination system?

The entire collection of outdoor UV resistant cables was designed with the Modulair Outdoor illumination system in mind. Choose a lamp holder, rose (or plug), or a lampshade by browsing our website, and create your outdoor suspension lamps for a customised illumination solution.

What makes these cables so reliable?

The Modulair outdoor UV resistant cables are 100% Made in Italy and IMQ-HAR certified. The design and material choice aimed to achieve three targets: safety, flexibility and weather-resistance.

What does UV resistant cable actually mean?

It means the fabric used to line these cables was designed to not only endure but fully resist UV rays, which make up around 10% of sunlight. The colour of UV resistant cables remains vibrant and doesn't tend to fade over time, even when they are consistently exposed to sunlight. This also means that prolonged exposure to sunlight will not result in the deterioration of the product's materials and performance.

Data Sheet

2x1,00 neoprene cable H05RN-F with fabric lining.

Diameter 7,6mm 2x1,00 Black Polyester SM04.
Normative reference EN 50525-2-21.
European Low Voltage Directive No. 2014/35/UE.
IMQ-HAR Certified No. CA01.00683.

Flexible conductor class 5 in red electrolytic copper, compliant with IER 60228 regulation.
Insulation EI 4 elastomeric Rubber compliant with 50363-1 EN regulation.
Insulation colour compliant with HD 402 and EN 50525-1 regulations.
External sheath EM 2 elastomeric Rubber compliant with EN regulation 50363-2-1.
Sheath colour Black.

Product compliant with all Italian and European safety regulations.



